(AGE-ADJUSTED DEATH RATES PER 100,000 U.S. STANDARD POPULATION BASED ON YEAR 2000 STANDARD IN SPECIFIED GROUP)

		ALL BASES					_		ALL OTH			
	BOTH SEXES	- ALL RACES	FEMALE	BOTH SEXES	WHITE	FEMALE	BOTH SEXES	TOTAL MALE	FEMALE	BOTH SEXES	BLACK	FEMALE
ALL CAUSES												
1999	881.9	1,061.8	743.6	860.7	1,035.8	725.7	990.8	1,206.7	831.0	1,147.1	1,412.5	955.0
Salmonella in	fections (/	A01-A02)										
1999	0.0	0.0	*	0.0	*	*	*	*	*	*	*	*
Shigellosis a	nd amebias <sup>.</sup>	is (A03,A06)										
1999	*	*	*	*	*	*	*	*	*	*	*	*
Certain other	intestina	l infections	(A04,A07-	·A09)								
1999	0.4	0.4	0.4	0.4	0.4	0.4	0.2	0.2	0.3	0.3	0.3	0.3
Tuberculosis	(A16-A19)											
1999	0.3	0.5	0.2	0.2	0.3	0.1	1.1	1.7	0.7	1.0	1.5	0.6
Respiratory	tuberculos	sis (A16)										
1999	0.3	0.4	0.2	0.2	0.3	0.1	0.9	1.4	0.5	0.8	1.2	0.5
Other tuber	culosis (Aí	17-A19)										
1999	0.1	0.1	0.0	0.0	0.1	0.0	0.2	0.3	0.1	0.2	0.3	*

(AGE-ADJUSTED DEATH RATES PER 100,000 U.S. STANDARD POPULATION BASED ON YEAR 2000 STANDARD IN SPECIFIED GROUP)

										HER	-	
	BOTH	ALL RACES	5	BOTH	- WHITE -		T BOTH	OTAL		BOTH	BLACK	
	SEXES	MALE	FEMALE	SEXES	MALE	FEMALE	SEXES	MALE	FEMALE	SEXES	MALE	FEMALE
Whooping coug	h (A27)											
whooping cough	II (A37)											
1999	*	*	*	*	*	*	*	*	*	*	*	*
1333												
Scarlet fever	and erysipe	elas (A38,	A46)									
1999	*	*	*	*	*	*	*	*	*	*	*	*
Meningococcal	infection (	(A39)										
egococcu:	(	,,,,,,										
1999	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	*
Septicemia (A	40-A41)											
1000	11. 2	12.4	10.5	10.1	11 0	0.4	30.4	22.0	10.6	24.0	20.2	22.5
1999	11.3	12.4	10.5	10.1	11.0	9.4	20.4	22.8	18.6	24.9	28.2	22.5
Syphilis (A50	-A53)											
1999	0.0	*	0.0	0.0	*	*	*	*	*	*	*	*
Acute poliomy	01;+;c (490)											
Acute porrolly	etitis (AOU)											
1999	*	*	*	*	*	*	*	*	*	*	*	*
1333												
Arthropod-bor	ne viral enc	ephalitis	(A83-A84,A	(85.2)								
1999	*	*	*	*	*	*	*	*	*	*	*	*
Measles (B05)												
•												
1999	*	*	*	*	*	*	*	*	*	*	*	*

(AGE-ADJUSTED DEATH RATES PER 100,000 U.S. STANDARD POPULATION BASED ON YEAR 2000 STANDARD IN SPECIFIED GROUP)

		ALL DACES			\#ITTE		-			IER		
	BOTH SEXES	- ALL RACES MALE	FEMALE	BOTH SEXES	- WHITE -	FEMALE	BOTH SEXES	OTAL MALE	FEMALE	BOTH SEXES	BLACK MALE	 FEMALE
	JEKES	TIMEE	TEHNEL	JEKES	11/122		JEKES	11/122	TETIMEE	JEKES	11/122	I LIIVLL
Viral hepatit	is (B15-B19	)										
1999	1.8	2.4	1.2	1.6	2.3	1.1	2.7	3.5	2.0	2.6	3.5	1.9
Human immunod	eficiency v	irus (HIV)	disease (B	20-B24)								
1999	5.4	8.4	2.6	3.0	5.0	1.0	17.6	26.9	9.7	24.2	37.1	13.4
Malaria (B50-	354)											
1999	*	*	*	*	*	*	*	*	*	*	*	*
Other and uns 5.1,A85.8,A86				c diseases	and their	sequelae	(A00,A05,	A20-A36,A4	12-A44, A48	-A49,A54-A79	), A81-A82,	A85.0-A8
1999	2.7	3.1	2.3	2.5	2.9	2.1	4.0	4.8	3.5	4.6	5.5	4.1
Malignant neo	olasms (C00	-C97)										
1999	202.7	251.6	169.9	199.8	246.5	168.6	220.7	288.8	176.1	254.4	340.5	200.2
Malignant n	eoplasms of	lip, oral	cavity and	pharynx (	(C00-C14)							
1999	2.8	4.2	1.6	2.6	3.8	1.6	3.8	6.4	1.9	4.4	7.5	2.1
Malignant n	eoplasm of	esophagus (	C15)									
1999	4.4	7.7	1.8	4.2	7.5	1.7	5.4	9.4	2.5	6.6	11.5	3.1
Malignant n	eoplasm of	stomach (C1	6)									
1999	4.7	6.6	3.3	4.1	5.8	2.8	9.1	12.7	6.6	9.2	13.3	6.6

		- ALL RACES			- WHITE -		T		ALL OTH	IER	- BLACK	
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Malignant n	eoplasms of	colon, rec	tum and ar	us (C18-C2	1)							
1999	21.1	25.2	18.1	20.6	24.8	17.5	24.4	28.3	21.6	28.6	33.6	25.1
Malignant n	eoplasms of	liver and	intrahepat	ic bile du	ıcts (C22)	)						
1999	4.6	6.5	3.0	4.2	6.0	2.8	7.0	10.2	4.5	6.0	8.7	3.9
Malignant n	eoplasm of p	oancreas (C	:25)									
1999	10.7	12.3	9.4	10.5	12.1	9.2	12.4	14.0	11.2	14.2	16.2	12.6
Malignant n	eoplasm of 1	larynx (C32	!)									
1999	1.4	2.6	0.5	1.3	2.3	0.5	2.0	4.0	0.7	2.6	5.1	0.8
Malignant n	eoplasms of	trachea, b	oronchus ar	ıd lung (C3	3-C34)							
1999	56.0	77.0	40.8	56.0	75.8	41.5	55.7	84.9	35.4	65.2	101.8	40.5
Malignant m	elanoma of s	skin (C43)										
1999	2.7	3.8	1.8	3.0	4.3	2.0	0.4	0.5	0.3	0.4	0.5	0.3
Malignant n	eoplasm of b	oreast (C50	))									
1999	15.3	0.3	27.0	14.9	0.3	26.4	17.5	0.5	29.9	21.1	0.7	35.6
Malignant n	eoplasm of o	cervix uter	i (C53)									
1999	1.6		2.9	1.4		2.6	2.7		4.7	3.2		5.5

(AGE-ADJUSTED DEATH RATES PER 100,000 U.S. STANDARD POPULATION BASED ON YEAR 2000 STANDARD IN SPECIFIED GROUP)

		- ALL RACES			- WHITE -		T		ALL OTH	HER	- BLACK	
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Malignant n	eoplasms of	corpus ute	ri and ute	rus, part	unspecifi	ed (C54-C5	55)					
1999	2.4		4.1	2.3		3.9	3.4		5.7	4.2		6.9
Malignant n	eoplasm of o	ovary (C56)										
1999	5.0		8.9	5.2		9.2	4.0		6.8	4.4	• • •	7.5
Malignant n	oonlasm of r	arostato (C	61)									
natignant n	еортазііі от р	orostate (C	01)									
1999	11.7	30.9		10.7	28.4		19.6	52.1		24.3	66.5	
Malignant n	eonlasms of	kidnev and	renal nel	vis (C64-C	·65)							
narigilani ii	eoptasiiis oi	Krulley allu	Tellat pet	V13 (C04-C	.03)							
1999	4.1	5.9	2.7	4.1	6.0	2.7	3.7	5.3	2.5	4.2	6.0	2.9
Malignant n	eonlasm of b	oladder (C6	7)									
ar.ga	cop1u3 o		.,									
1999	4.4	7.6	2.3	4.5	7.9	2.3	3.4	4.8	2.5	4.0	5.6	3.0
Malignant n	eoplasms of	meninges.	brain and	other part	s of cent	ral nervou	ıs system ()	C70-C72)				
		,		, , , , , , , , , , , , , , , , , , ,			, (					
1999	4.7	5.7	3.9	5.0	6.1	4.2	2.5	3.0	2.1	2.8	3.3	2.4
Malignant n	eoplasms of	lymphoid,	hematopoie	tic and re	elated tis	sue (C81-0	.96)					
1999	20.7	26.1	16.9	21.0	26.5	17.1	18.2	22.5	15.3	20.4	25.3	17.1
Hodgkin's	disease (C8	31)										
1999	0.5	0.7	0.4	0.5	0.7	0.4	0.3	0.4	0.3	0.4	0.6	0.3
1000	۷. ت	0.7	0.4	0.5	0.7	0.4	0.3	0.4	0.3	0.4	0.0	0.3

(AGE-ADJUSTED DEATH RATES PER 100,000 U.S. STANDARD POPULATION BASED ON YEAR 2000 STANDARD IN SPECIFIED GROUP)

PAGE 6

		ALL BACES			- WHITE -		TO		- ALL OTH	IER	- LACK ·	
	BOTH SEXES	- ALL RACES MALE	FEMALE	BOTH SEXES	MALE -	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	 FEMALE
Non-Hodgk	in's lympho	ma (C82-C85	)									
1999	8.4	10.3	7.0	8.8	10.7	7.3	5.5	7.2	4.3	5.7	7.4	4.5
Leukemia	(C91-C95)											
1999	7.7	10.2	6.0	7.9	10.4	6.2	6.1	7.8	5.0	6.7	8.5	5.5
Multiple	myeloma and	immunoprol	iferative	neoplasms	(C88,C90)							
1999	4.1	4.9	3.4	3.7	4.6	3.1	6.3	7.1	5.7	7.6	8.8	6.8
Other and	unspecifie	d malignant	neoplasms	of lympho	id, hemat	copoietic a	and related	tissue (C	(96)			
1999	0.0	0.0	0.0	0.0	0.0	0.0	*	*	*	*	*	*
All other a	nd unspecif	ied maligna	nt neoplas	ms (C17,C2	3-C24,C26	5-C31,C37-C	C41,C44-C49	, C51-C52, C	.57-C60,C6	2-C63,C66,C6	8-C69,C73	-C80,C97
1999	24.4	29.3	20.8	24.2	29.1	20.6	25.4	30.1	21.9	28.7	34.9	24.3
In situ neopl	asms, benig	n neoplasms	and neopl	asms of un	certain o	or unknown	behavior ([	000-D48)				
1999	4.9	6.0	4.1	4.9	6.2	4.1	4.2	4.7	3.9	4.9	5.3	4.5
Anemias (D50-	D64)											
1999	1.6	1.7	1.6	1.4	1.4	1.4	3.0	3.0	2.9	3.7	3.7	3.6
Diabetes mell	itus (E10-E	14)										
1999	25.2	27.7	23.3	22.8	25.8	20.5	43.2	41.8	43.7	50.1	48.6	50.4

(AGE-ADJUSTED DEATH RATES PER 100,000 U.S. STANDARD POPULATION BASED ON YEAR 2000 STANDARD IN SPECIFIED GROUP)

							_			IER		
	BOTH	- ALL RACES		BOTH	- WHITE -		T BOTH			вотн	BLACK	
	SEXES	MALE	FEMALE	SEXES	MALE	FEMALE	SEXES	MALE	FEMALE	SEXES	MALE	FEMALE
Nutritional d	eficiencies	(E40-E64)										
1999	1.6	1.5	1.6	1.5	1.4	1.5	2.3	2.5	2.1	2.7	3.0	2.4
Malnutrition	n (E40-E46)											
1999	1.5	1.4	1.5	1.4	1.2	1.4	2.1	2.4	1.9	2.5	2.8	2.3
Other nutri	tional defi	ciencies (E	50-E64)									
1999	0.1	0.1	0.1	0.1	0.1	0.1	0.2	*	0.2	0.2	*	0.2
Meningitis (G	00,G03)											
1999	0.3	0.3	0.3	0.3	0.3	0.2	0.6	0.7	0.5	0.7	0.9	0.6
Parkinson's d	isease (G20	-G21)										
1999	5.4	8.2	3.7	5.7	8.7	3.9	2.5	3.8	1.9	2.4	3.6	1.7
Alzheimer's d	isease (G30	)										
1999	16.5	14.0	17.6	17.2	14.7	18.4	9.9	8.3	10.7	11.4	9.7	12.2
Major cardiov	ascular dis	eases (I00-	178)									
1999	350.9	414.8	300.3	343.7	408.4	292.1	391.4	451.0	345.8	450.9	520.9	398.0
Diseases of	heart (I00	-109,111,11	3,120-151)									
1999	267.8	328.1	220.9	263.4	324.7	215.5	290.1	343.2	250.1	336.7	398.9	290.5

CAUSE OF DEATH
(BASED ON THE TENTH
REVISION, INTERNATIONAL
CLASSIFICATION OF
DISEASES, 1992) AND YEAR

1999.....

26.5

33 3

20 9

24 8

31 0

19 5

- - - - WHITE - - - -- - - ALL RACES - - вотн вотн вотн **BOTH** MALE SEXES MALE FEMALE SEXES MALE FFMALE SEXES MALE FEMALE SEXES FEMALE Acute rheumatic fever and chronic rheumatic heart diseases (I00-I09) 1999..... 1.4 1.6 0.9 1.7 0.7 1.2 1.4 0.9 1.1 1.3 1.0 0.8 Hypertensive heart disease (I11) 1999..... 8.4 8.3 8.0 6.9 6.7 6.7 18.6 20.1 17.1 23.1 25.5 21.0 Hypertensive heart and renal disease (I13) 1999...... 1.2 1.3 1.1 0.9 1.0 0.9 3.5 3.6 3.3 4.2 4.4 4.0 Ischemic heart diseases (I20-I25) 1999..... 195.6 249.0 154.9 194.5 249.4 152.5 198.1 239.5 167.4 226.4 272.6 192.5 Acute myocardial infarction (I21-I22) 1999...... 73.6 95.4 57.1 73.5 96.3 56.2 72.9 87.3 62.5 83.7 99.8 72.2 Other acute ischemic heart diseases (I24) 1999...... 1.2 1.5 0.9 1.1 1.4 0.9 1.5 2.0 1.1 1.8 2.4 1.3 Other forms of chronic ischemic heart disease (I20,I25) 1999...... 120.8 152.1 96.9 119.8 151.7 95.4 123.7 150.3 103.8 140.9 170.4 119.0 Atherosclerotic cardiovascular disease, so described (I25.0)

50.5

39 0

30.3

46 2

60 5

35 7

(AGE-ADJUSTED DEATH RATES PER 100,000 U.S. STANDARD POPULATION BASED ON YEAR 2000 STANDARD IN SPECIFIED GROUP)

										HER		
	BOTH SEXES	- ALL RACES	FEMALE	BOTH SEXES	- WHITE	FEMALE	T BOTH SEXES	MALE	 FEMALE	BOTH SEXES	BLACK	FEMALE
All o	ther forms (	of chronic	ischemic h	neart dise	ase (I20,	I25.1-I25.	9)					
1999	94.2	118.7	75.9	95.0	120.6	75.8	84.7	99.8	73.5	94.8	109.8	83.4
Other hea	rt diseases	(I26-I51)										
1999	61.2	68.5	55.2	59.7	66.6	53.8	68.8	79.4	60.9	81.9	95.7	71.8
Acute a	nd subacute	endocardit	is (I33)									
1999	0.4	0.5	0.3	0.4	0.5	0.3	0.6	0.7	0.5	0.7	0.9	0.6
Disease	s of perica	rdium and a	acute myoca	arditis (I	30-I31,I4	0)						
1999	0.3	0.4	0.3	0.3	0.3	0.3	0.4	0.5	0.4	0.5	0.5	0.5
Heart f	ailure (I50)	)										
1999	20.3	21.0	19.5	20.3	21.0	19.5	19.3	20.3	18.5	22.7	24.4	21.4
All oth	er forms of	heart dise	ease (I26-I	28,134-13	8,142-149	, I51)						
1999	40.2	46.5	35.1	38.7	44.7	33.8	48.4	57.8	41.4	57.9	69.8	49.2
Essential (	primary) hyp	pertension	and hypert	ensive re	nal disea	se (I10,I1	2)					
1999	6.3	6.1	6.2	5.3	5.1	5.3	13.5	13.8	13.0	16.1	16.9	15.4
Cerebrovasc	ular diseas	es (I60-I69	9)									
1999	61.8	62.4	60.5	59.8	60.0	58.7	74.1	78.4	70.4	82.4	87.4	78.1

										HER		
	вотн	ALL RACES		BOTH	- WHITE		T BOTH			BOTH	BLACK	
	SEXES	MALE	FEMALE	SEXES	MALE	FEMALE	SEXES	MALE	FEMALE	SEXES	MALE	FEMALE
Atheroscler	osis (I70)											
1999	5.5	5.6	5.4	5.7	5.7	5.5	4.4	4.8	4.1	5.0	5.6	4.6
Other disea	uses of circu	ılatory sy	stem (I71-I	178)								
1999	9.5	12.7	7.2	9.5	12.9	7.1	9.3	10.8	8.2	10.6	12.1	9.4
Aortic an	neurysm and o	lissection	(171)									
1999	5.8	8.7	3.8	5.9	9.0	3.8	4.6	6.1	3.7	5.0	6.3	4.0
Other dis	seases of art	eries, ar	terioles ar	nd capilla	ries (I72	-178)						
1999	3.7	4.0	3.5	3.6	3.8	3.3	4.7	4.7	4.6	5.6	5.8	5.4
Other disorde	ers of circul	atory sys	tem (I80-I9	99)								
1999	1.5	1.5	1.4	1.4	1.4	1.4	2.0	2.2	1.9	2.4	2.6	2.3
Influenza and	l pneumonia (	(J10-J18)										
1999	23.6	28.0	20.8	23.4	27.7	20.8	23.3	29.2	19.5	25.6	32.4	21.3
Influenza (	(J10-J11)											
1999	0.6	0.6	0.6	0.6	0.6	0.6	0.3	0.2	0.3	0.3	0.2	0.3
Pneumonia (	(J12-J18)											
1999	22.9	27.4	20.2	22.8	27.0	20.2	23.0	29.0	19.2	25.3	32.1	21.1

CAUSE OF DEATH
(BASED ON THE TENTH
REVISION, INTERNATIONAL
CLASSIFICATION OF
DISEASES, 1992) AND YEAR

- - - - WHITE - - - -- - - ALL RACES - - вотн вотн вотн вотн FEMALE MALE FEMALE MALE SEXES MALE SEXES FEMALE SEXES MALE SEXES FEMALE Other acute lower respiratory infections (J20-J22) 1999..... 0.2 0.2 0.2 0.2 0.2 0.2 0.2 0.2 0.2 0.2 0.2 0.2 Acute bronchitis and bronchiolitis (J20-J21) 1999...... 0.1 0.1 0.1 0.1 0.1 0.1 0.2 0.2 0.1 0.2 0.2 0.2 Unspecified acute lower respiratory infection (J22) 0.0 0.1 1999...... 0.1 0.0 0.1 0.1 Chronic lower respiratory diseases (J40-J47) 1999...... 45.8 58.1 38.2 47.5 59.6 40.2 30.3 44.6 21.4 33.7 50.1 23.9 Bronchitis, chronic and unspecified (J40-J42) 1999..... 0.4 0.5 0.4 0.4 0.5 0.4 0.4 0.4 0.3 0.4 0.4 0.3 Emphysema (J43) 1999...... 6.5 8.6 5.2 6.9 8.9 5.7 3.6 5.9 2.1 4.0 6.6 2.4 Asthma (J45-J46) 1999...... 1.7 1.4 2.0 1.4 1.0 1.7 3.4 3.3 3.5 3.9 3.6 4.2 Other chronic lower respiratory diseases (J44,J47) 47.8 15.5 25.4 39.5 1999...... 37.0 30 6 38 7 49 2 32 5 23 0 35 0 17 O

(AGE-ADJUSTED DEATH RATES PER 100,000 U.S. STANDARD POPULATION BASED ON YEAR 2000 STANDARD IN SPECIFIED GROUP)

									ALL OTH	HER	-	
	BOTH SEXES	- ALL RACES	FEMALE	BOTH SEXES	- WHITE	FEMALE	T BOTH SEXES	OTAL	FEMALE	BOTH SEXES	BLACK MALE	 FEMALE
Pneumoconiose	s and chemic	cal effects	s (J60-J66,	168)								
1999	0.4	1.0	0.0	0.4	1.1	0.0	0.2	0.6	*	0.3	0.7	*
Pneumonitis d	ue to solid:	s and liqui	ids (J69)									
1999	5.6	7.9	4.4	5.6	7.9	4.3	5.8	8.1	4.4	6.8	9.5	5.2
Other disease	s of respira	atory syste	em (100-106	5,J30-J39,.	J67,J70-J9	98)						
1999	9.2	11.1	8.0	9.2	11.2	7.9	8.7	10.0	7.9	9.5	11.0	8.6
Peptic ulcer	(K25-K28)											
1999	1.7	2.0	1.4	1.7	2.0	1.4	1.8	2.2	1.4	1.9	2.4	1.4
Diseases of a	opendix (K3	5-K38)										
1999	0.1	0.2	0.1	0.1	0.2	0.1	0.2	0.3	0.1	0.2	0.4	0.1
Hernia (K40-K	46)											
1999	0.5	0.5	0.5	0.5	0.6	0.5	0.5	0.5	0.5	0.6	0.6	0.6
Chronic liver	disease and	d cirrhosis	5 (K70,K73-	·K74)								
1999	9.7	13.7	6.1	9.7	13.7	6.1	9.5	13.6	6.2	10.2	15.1	6.4
Alcoholic l	iver diseas	e (K70)										
1999	4.4	7.0	2.1	4.3	6.9	2.0	4.8	7.5	2.7	5.2	8.2	2.8

(AGE-ADJUSTED DEATH RATES PER 100,000 U.S. STANDARD POPULATION BASED ON YEAR 2000 STANDARD IN SPECIFIED GROUP)

		ALL RACES			- WHITE -		T		- ALL OTH	HER	- BLACK	
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other chron	ic liver dis	ease and c	irrhosis (	K73-K74)								
1999	5.3	6.7	4.0	5.3	6.8	4.0	4.7	6.1	3.5	5.1	6.9	3.6
Cholelithiasi	s and other	disorders	of gallbla	dder (K80-	K82)							
1999	1.0	1.2	1.0	1.0	1.2	0.9	1.1	1.2	1.1	1.1	1.1	1.1
Nephritis, ne	phrotic synd	rome and n	ephrosis (	N00-N07,N1	7-N19,N25	-N27)						
1999	13.1	16.2	11.2	11.6	14.8	9.7	24.0	27.1	21.9	28.6	32.9	26.0
Acute and r	apidly progr	essive nep	hritic and	nephrotic	syndrome	(N00-N01	, NO4)					
1999	0.1	0.1	0.1	0.0	0.1	0.1	0.1	0.2	*	0.1	*	*
Chronic glow 05-N07,N26)	merulonephri	tis, nephr	itis and n	ephropathy	not spec	ified as a	acute or ch	ronic,and	renal scl	erosis unspe	cified (N	92-N03,N
1999	0.2	0.3	0.2	0.2	0.3	0.2	0.4	0.5	0.3	0.4	0.5	0.3
Renal failu	re (N17-N19)											
1999	12.8	15.9	11.0	11.4	14.5	9.5	23.4	26.4	21.5	28.1	32.3	25.5
Other disor	ders of kidn	ey (N25,N2	7)									
1999	0.0	*	0.0	0.0	*	*	*	*	*	*	*	*
Infections of	kidney (N10	-N12,N13.6	,N15.1)									
1999	0.3	0.2	0.3	0.3	0.3	0.4	0.3	0.2	0.3	0.4	0.3	0.4

(AGE-ADJUSTED DEATH RATES PER 100,000 U.S. STANDARD POPULATION BASED ON YEAR 2000 STANDARD IN SPECIFIED GROUP)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL

10.9

8 5

9 1

10 1

8 0

12 8

15 3

10 6

15 7

19 2

12 8

9 8

1999......

REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992) AND YEAR

- - - - ALL OTHER - - - - - - - - - - - - - - - - - - BLACK - - - -- - - - WHITE - - - -- - - ALL RACES - - вотн вотн вотн ROTH FEMALE MALE FEMALE SEXES MALE SEXES MALE FFMALE SEXES MALE FEMALE SEXES Hyperplasia of prostate (N40) 1999..... 0.2 0.5 0.2 0.5 0.1 0.4 0.2 0.5 Inflammatory diseases of female pelvic organs (N70-N76) 1999...... 0.0 0.1 0.0 0.0 0.1 0.1 0.1 0.2 Pregnancy, childbirth and the puerperium (000-099) 1999...... 0.2 0.3 0.1 . . . 0.2 0.4 0.7 0.4 0.8 . . . Pregnancy with abortive outcome (000-007) 1999..... 0.0 0.0 Other complications of pregnancy, childbirth and the puerperium (010-099) 1999..... 0.1 0.3 0.1 0.2 0.3 0.6 0.4 0.7 . . . . . . Certain conditions originating in the perinatal period (P00-P96) 1999...... 5.1 5.7 4.6 3.9 4.4 3.5 9.8 10.8 8.7 12.5 13.9 11.1 Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99) 1999...... 3.8 4.0 3.6 3.7 3.9 3.5 4.0 4.3 3.8 4.6 4.9 4.3 Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)

(AGE-ADJUSTED DEATH RATES PER 100,000 U.S. STANDARD POPULATION BASED ON YEAR 2000 STANDARD IN SPECIFIED GROUP)

		- ALL RACES			- WHITE -		T(			1ER E	- SLACK	
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
All other disc -N13.5,N13.7-							L-H93,K00-K2	22,K29-K31	,K50-K66,I	K/1-K/2,K/5-	K/6,K83-M	99,N13.0
1999	63.4	63.7	61.4	62.0	61.9	60.3	69.3	74.3	64.9	81.9	88.6	76.3
Accidents (un	intentional	injuries)	(V01-X59,Y	'85-Y86)								
1999	35.9	50.6	22.7	35.7	50.0	22.7	36.6	54.2	22.0	40.9	62.1	23.7
Transport a	ccidents (V	01-V99,Y85)										
1999	17.0	24.1	10.4	17.1	24.1	10.5	16.6	24.5	9.9	17.6	27.0	9.7
Motor veh ,V87.0-V87.8,				9.2,V12-V1	4,V19.0-V	19.2,V19.4	4-V19.6,V20-	-V79,V80.3	-V80.5,V8	1.0-V81.1,V8	2.0-V82.1	, V83 - V86
1999	15.5	21.8	9.8	15.6	21.8	9.9	15.3	22.3	9.3	16.2	24.7	9.2
Other land					09.3-V09.	9,V10-V11,	,V15-V18,V19	9.3,V19.8-	V19.9,V80	.0-V80.2,V86	.6-V80.9, <sup>v</sup>	V81.2-V8
1999	0.8	1.2	0.4	0.8	1.2	0.4	0.8	1.3	0.4	0.8	1.3	0.3
Water, ai	r and space	, and other	and unspe	cified tra	nsport ac	cidents ar	nd their sec	quelae (V9	0-V99,Y85	)		
1999	0.7	1.2	0.3	0.7	1.2	0.3	0.5	1.0	0.2	0.5	1.0	0.2
Nontranspor	t accidents	(W00-X59,Y	86)									
1999	18.9	26.4	12.3	18.6	25.8	12.1	20.0	29.6	12.2	23.4	35.1	14.0
Falls (W0	0-W19)											
1999	4.8	6.6	3.6	5.0	6.7	3.7	3.5	5.3	2.2	3.5	5.2	2.2

(AGE-ADJUSTED DEATH RATES PER 100,000 U.S. STANDARD POPULATION BASED ON YEAR 2000 STANDARD IN SPECIFIED GROUP)

		· ALL RACES		WHITE			ALL OTHER TOTAL BLACK					
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Accidental	discharge	of firearms	s (W32-W34	)								
1999	0.3	0.5	0.1	0.3	0.5	0.1	0.3	0.6	0.1	0.4	0.8	0.1
Accidental drowning and submersion (W65-W74)												
1999	1.3	2.1	0.5	1.2	1.9	0.5	1.6	2.8	0.6	1.7	3.0	0.6
Accidental exposure to smoke, fire and flames (X00-X09)												
1999	1.2	1.6	0.9	1.0	1.4	0.7	2.4	3.2	1.9	3.0	4.0	2.3
Accidental poisoning and exposure to noxious substances (X40-X49)												
1999	4.5	6.6	2.3	4.4	6.5	2.3	5.1	7.8	2.7	6.4	10.1	3.3
Other and unspecified nontransport accidents and their sequelae (W20-W31,W35-W64,W75-W99,X10-X39,X50-X59,Y86)												
1999	6.8	9.0	4.8	6.7	8.9	4.8	7.0	10.0	4.8	8.3	12.1	5.6
Intentional se	lf-harm (su	uicide) (X60	9-X84,Y87.	Θ)								
1999	10.7	18.2	4.1	11.5	19.4	4.4	6.2	10.7	2.2	5.7	10.4	1.6
Intentional	self-harm (	(suicide) by	/ discharg	e of firea	rms (X72-	X74)						
1999	6.1	11.4	1.5	6.6	12.2	1.7	3.1	6.0	0.6	3.3	6.6	0.6
Intentional	self-harm (	(suicide) by	other an	d unspecif	ied means	and their	sequelae	(X60-X71,X	75-X84,Y8	7.0)		
1999	4.6	6.8	2.6	4.9	7.2	2.8	3.0	4.7	1.6	2.4	3.9	1.1

(AGE-ADJUSTED DEATH RATES PER 100,000 U.S. STANDARD POPULATION BASED ON YEAR 2000 STANDARD IN SPECIFIED GROUP)

	ALL RACES WHITE						ALL OTHER					
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Assault (homicide) (X85-Y09,Y87.1)												
ASSUALE (HOIII)	(100)	103,107.1)										
1999	6.2	9.4	2.9	3.8	5.5	2.2	16.1	26.9	6.3	20.6	34.9	7.5
Assault (homicide) by discharge of firearms (X93-X95)												
1999	4.0	6.5	1.4	2.2	3.4	1.0	11.3	20.2	3.0	14.7	26.6	3.6
Assault (homicide) by other and unspecified means and their sequelae (X85-X92,X96-Y09,Y87.1)												
4000						4.5						
1999	2.2	2.9	1.6	1.6	2.1	1.2	4.8	6.7	3.3	5.9	8.3	3.9
Legal intervention (Y35,Y89.0)												
1999	0.2	0.3	*	0.1	0.2	*	0.3	0.6	*	0.3	0.7	*
Events of undetermined intent (Y10-Y34,Y87.2,Y89.9)												
1999	1.4	2.0	0.9	1.4	1.9	0.9	1.7	2.7	0.8	2.0	3.3	0.9
Discharge of firearms, undetermined intent (Y22-Y24)												
1999	0.1	0.2	0.0	0.1	0.2	0.0	0.2	0.3	*	0.2	0.3	*
1999	0.1	0.2	0.0	0.1	0.2	0.0	0.2	0.3	·	0.2	0.3	·
Other and unspecified events of undetermined intent and their sequelae (Y10-Y21,Y25-Y34,Y87.2,Y89.9)												
1999	1.3	1.8	0.9	1.3	1.7	0.9	1.5	2.4	0.8	1.9	3.0	0.9
Operations of war and their sequelae (Y36,Y89.1)												
1999	0.0	0.0	*	0.0	0.0	*	*	*	*	*	*	*

PAGE 18

(AGE-ADJUSTED DEATH RATES PER 100,000 U.S. STANDARD POPULATION BASED ON YEAR 2000 STANDARD IN SPECIFIED GROUP)

CAUSE OF DEATH
(BASED ON THE TENTH
REVISION, INTERNATIONAL
CLASSIFICATION OF DISEASES, 1992) AND YEAR

	ALL OTHER										-		
		ALL RACES			WHITE			TOTAL			BLACK		
	BOTH			BOTH			ВОТН			BOTH			
	SEXES	MALE	FEMALE	SEXES	MALE	FEMALE	SEXES	MALE	FEMALE	SEXES	MALE	FEMALE	
Complications	s of medical	and surgio	cal care (Y	/40-Y84,Y8	8)								
1999	1.0	1.2	1.0	1.0	1.1	0.9	1.5	1.7	1.4	1.8	1.9	1.7	

<sup>\*</sup> FIGURE DOES NOT MEET STANDARDS OF RELIABILITY OR PRECISION. 0.0 QUANTITY MORE THAN ZERO BUT LESS THAN 0.05. . . CATEGORY NOT APPLICABLE.

SOURCE: CDC/NCHS, NATIONAL VITAL STATISTICS SYSTEM, MORTALITY